Pathology of HIV Infection



Student's Name
Institution of Learning

FreshES\$AY.net

Introduction

- The importance of the awareness of key HIV trends
- The overall goal of gathering the data on HIV
- Impact of timely information on HIV incidence

Issue Overview

- The use of the back-calculation
- Deficiencies associated with the method
- The drawbacks of the cohort studies
- The advantages of the laboratimethods.




The Significance of Patterson-Lomba, Wu, and Pagano (2015) research:

- Assessment of the certain biases that have been present in evaluating HIV classification
- Right skew distribution signifies the assays' worst performance due to inability to differentiate between recent and past chronic cases
- The investigators predicted that assay variability is lower with time

Serological and Molecular-Based Methods

Serological tests of recent HIV infections are numerous:



Other Methods:

- Antibody Avidity Assays method (measures the strength of antibody-antigen binding)
- Inno-LIA HIV Adaptation (measures the increase in reaction between antibodies and antigens after seroconversion)
- Molecular methods for testing recent HIV infections include high resolution melting assay, sequence ambiguities, hamming distances, Native Bayes classifiers, and sequence clustering-based diversity measure.

Drug-Susceptibility Assays

- The significance of the drugsusceptibility assays development
- The aim of the In vitro method known as cell-free drug susceptibility and CEDSA)

Research of Pradier et al. (2001)

- Aim: to evaluate the impact of short-run adherence success of highly active antiretroviral therapy on virological and immunological assays.
- Conducted among HIV-infected drug users (IDUs)
- The study confirmed that adherence to protease inhibitor therapy is required for virological success.

Discussion on HAART

- Some physicians have argued that HAART should be withheld from disadvantaged patients.
- Haqqani and colleagues (2015) record that CD4+ T cells drive support recombination events in vivo have been detected in spleen as well as in bone marrow.
- Yet, Petit et al. (2015) note that CD4+ T cells are not found in blood of infected animals.

Suggestions for Further Researches

- There is still limited information on the precise actions of opioids in terms of intracellular antiviral innate immunity against HIV infections.
- The HIV restriction in miRNA enzymes plays a key role in intracellular immunity; thus, should be researched more in details.

Suggestions for Further Researches cont.

- The implications of the heroin treatment of HIV
- The conditions favorable for the use of heroin as cures agains

References

- Gupta, A., Brown, C. T., Zheng Y-H., & Adami, C. (2015). Differentially-expressed pseudogenes in HIV-1 infection. *Viruses*, 7, 5191-52-05. doi:10.3390/v7102869.
- Hall, H. I., Song, R., Rhodes, P., Prejean, J., An, Q., Lee, L. M. ... & Janssen, R. S. (2008). Estimation of HIV incidence in the United States. *JAMA*, 300(5), 520-529.
- Haqqani, A. A., Marek, S. L., Kumar, J., Davenport, M., Wang, H., & Tilton, J. C. (2015). Central memory CD4+ T cells are preferential targets of double infection by HIV-1. *Virology Journal*, 12(184), 1-12. doi 10.1186/s12985-015-0415-0.
- Matsunaga, S., Masaoka, T., Sawasaki, T., Morishita, R., Iwatani, Y., Tatsumi, M. ... & Ryo, A. (2015). A cell-free enzymatic activity assay for the evaluation of HIV-1 drug resistance to protease inhibitors.
 Frontiers in Microbiology, 6(1220), 1-10. doi: 10.3389/fmicb.2015.01220.
- Moyo, S., Wilkinson, E., Novitsky, V., Vandormael, A., Gaseitsiwe, S., Essex, M. ... & de Oliveira, T. (2015). Identifying recent HIV infections: From serological assays to genomics. *Viruses*, 7, 5508-5524. doi:10.3390/v7102887.
- Patterson-Lomba, O., Wu, J. W., & Pagano, M. (2015). Assessing biases in the evaluation of classification assays for HIV infection recency. *PLoS ONE*, 10(10), e0139735. doi:10.1371/journal.pone.0139735.
- Petit, N.Y., Lambert-Niclot, S., Marcelin, A-G., Garcia, S., Marodon, G. (2015). HIV replication is not controlled by CD8+ T cells during the acute phase of the infection in humanized mice. *PLoS ONE 10*(9), e0138420. doi:10.1371/journal.pone.0138420
- Pradier, C., Carrieri, P., Bentz, L., Spire, B., Dellamonica, P., Moreau, J., Moatti, J-P., & the MANIF 2000 Study Group (2001). Impact of short-term adherence on virological and immunological success of HAART: a case study among French HIV-infected IDUS. *International Journal of STD & AIDS*, 12, 324-328.
- Wang, X., Ma, T-C., Li, J-L., Zhou, Y., Geller, E. B., Adler, M. W. ... & Ho, W-Z. (2015). Heroin inhibits HIV-restriction miRNAs and enhances HIV infection of macrophages. *Frontiers in Microbiology*, 6(1230), 1-9. doi: 10.3389/fmicb.2015.01230.

Thank you for your attention!